

Claims

- [c1] 1.A curtain comprising a main panel and further comprising a pocket, for storage of articles, which is affixed to a front of the main panel in proximity to a lower end of the main panel.
- [c2] 2.The curtain of claim 1, wherein the pocket is separated into a multiplicity of separate compartments.
- [c3] 3.The curtain of claim 2, wherein the pocket is affixed to the main panel approximately thirteen inches from a main panel bottom.
- [c4] 4.The curtain of claim 3, wherein the pocket is separated into separate compartments by means of tucks.
- [c5] 5.The curtain of claim 4, further comprising an elastic band affixed in proximity to a top front edge of the pocket.
- [c6] 6.The curtain of any of claims 1 through 4, wherein the means of affixing the pouch to the main panel is selected from the group which consists of sewing, gluing, riveting, affixing by snaps, and affixing by hook and loop fasteners.

- [c7] 7.A curtain tieback comprising a pouch for storage of articles and a tieback belt affixed to the pouch.
- [c8] 8.The curtain tieback of claim 7 wherein the pouch is slidably affixed to the tieback belt.
- [c9] 9.The curtain tie-back of claim 8, further comprising an elastic band affixed in proximity to a top front edge of the pouch.
- [c10] 10. The curtain tieback of claim 9, wherein the pouch is further separated into a multiplicity of compartments.
- [c11] 11.The curtain tie-back of claim 10, further comprising a multiplicity of loops affixed to a back of the tie-back pouch, and into which the tie-back belt is slidably inserted.
- [c12] 12.The curtain of claim 1, further comprising the curtain tieback of claim 7.
- [c13] 13.A method for storing articles comprising the steps of :
- (a)constructing a curtain comprising a main panel comprising a front, and further comprising a pocket, for the storage of articles; and
 - (b)affixing the pocket to the front of the main panel in proximity to a lower end of the main panel.

[c14] 14.The method of claim 13, further comprising separating the pocket into a multiplicity of compartments.

[c15] 15.The method of claim 14, further comprising affixing an elastic band in proximity to an upper front edge of the pocket.

[c16] 16.A method for storing articles comprising the steps of :

(a)constructing a curtain tieback comprising a pouch for storage of articles;

(b)affixing the pouch to a tie-back belt affixed to a curtain; and

(c)constraining the curtain about a point approximately midway between a curtain bottom and a curtain top.

[c17] 17.The method of claim 16, wherein the pouch is slidably affixed to the tieback belt.

[c18] 18.The method of claim 17, further comprising separating the pouch into a multiplicity of compartments.

[c19] 19.The method of claim 18, further comprising the steps recited in claim 13.

[c20] 20.The method of claim 19, further comprising affixing an elastic band in proximity to a front top edge of the top of the pouch.

[c21]